

## 41 Series Bathroom Phones



### **41 Series Features:**

- **Water Resistant** – Water resistant, splash-proof designs
- **Backlit Keypads** – Backlit keypad (membrane and rubber keypad models only)
- **No Hook-Switch** - No hook switch to prevent water ingress
- **LCD Clock** – Accurate digital time display (“K” models only)
- **Easy Message Retrieval™** - Message Waiting Light, button and Ringer Indicator
- **Single and Two Line Phones**

## “T5” Models



41 Series T5 1-Line Phone with LCD Clock  
(A41-1T5MK)



41 Series T5 1-Line Phone with Membrane Keypad  
(A41-1T5M)

### T5 Features:

- **Membrane Keypad** – smooth, water resistant, touch sensitive membrane dial pad (“M” models only)
- **Water Resistant** – Water resistant, splash-proof design
- **Backlit Keypad** – Backlit keypad (membrane keypad models only)
- **No Hook-Switch** - No hook switch to prevent water ingress
- **LCD Clock** – Accurate digital time display (41T5+K only)
- **Easy Message Retrieval™** - Message Waiting Light, button and Ringer Indicator
- **Single Line Phone**
- Flash, Pause, Redial, Hold, Tone buttons
- Desk and Wall Mountable

### Models Available:

T5	
A41-1T5	Single Line Trimline Phone for the Bathroom with No Hook switch, Message Waiting Light, Hold, Redial, Flash and Pause.
A41-1T5M	Single Line Trimline Phone for the Bathroom with Membrane Keypad, No Hookswitch, Backlit Keypad, Message Waiting Light, Hold, Redial, Flash and Pause.
A41-1T5MK	Single Line Trimline Phone for the Bathroom with LCD Clock, Membrane Keypad, No Hookswitch, Backlit Keypad, Message Waiting Light, Hold, Redial, Flash and Pause.
A41-1T5N	Single Line Trimline Phone with No Dialpad, One Backlit Membrane Guest Service Button, and Message Waiting Light.

## “T5” Two-Line Models



41Series T-T 2-Line Phone with standard keypad  
(A41-2T5)



41 Series T-T 2-Line Phone with Membrane Keypad  
(A41-2T5M)

### T5 (Two Line) Features:

- **Two-Line Phone** – Selectable line-1 and line-2 with indicators
- **Water Resistant** – Water resistant, splash-proof design
- **Membrane Keypad** – smooth, water resistant, touch sensitive membrane dial pad (41T-T+ only)
- **Backlit Keypad** – Backlit keypad (membrane keypad models only)
- **No Hook-Switch** - No hook switch to prevent water ingress
- **Programmable Guest Service Keys** - Permanent one-touch memory keys
- **Easy Message Retrieval™** - Message Waiting Light, button and Ringer Indicator
- Flash, Pause, Redial buttons
- Hold buttons with indicator
- Desk and Wall Mountable

### Models Available:

T5 Two Line	
A41-2T5	Two Line Trimline Phone for the Bathroom with No Hookswitch, Backlit Keypad, Message Waiting Light, Hold, Redial, Flash and ON/OFF.
A41-2T5M	Two Line Trimline Phone for the Bathroom with No Hookswitch, Backlit Membrane Keypad, Message Waiting Light, Hold, Redial, Flash and ON/OFF.

## “T-0” Models



41 Series T-0 1-Line Phone with LCD Clock  
(A41-1T0MK)



41 Series T-0 1-Line Phone with No Keypad  
(A41-1T0)

### T0 Features:

- **No Handset** – Total “hands-free” communication at up to 5 metres distance
- **Single-Line Phone**
- **Water Resistant** – Water resistant, splash-proof design
- **Membrane Keypad** – smooth, water resistant, touch sensitive membrane dial pad
- **Speaker ON/OFF** – Speak / Hang-up speaker button
- **SOS Emergency Service Key** – Programmable Permanent one-touch memory key
- **Easy Message Retrieval™** - Message Waiting Light, button and Ringer Indicator
- **Auto-Connect™** - Resets the phone to receive incoming calls even when call not disconnected
- **Privacy Guard Redial™** - Last number dialled disappears after a defined time
- **LCD Clock** – Accurate digital time display (41T-0+K only)
- **Customised Faceplate** - optional
- Flash, Pause, Redial buttons
- Hold buttons with indicator
- 3-Step Volume Control

T0	
A41-1T0N	Single Line Trimline Phone for the Bathroom with No Handset, No Dialpad, One Guest Service Button, Hold and Speaker Button.
A41-1T0M	Single Line Trimline Phone for the Bathroom with No Handset, Membrane Dialpad, One Guest Service Button, Message Waiting Light, Hold and Speaker Button.
A41-1T0MK	Single Line Trimline Phone for the Bathroom with LCD Clock, No Handset, Membrane Dialpad, One Guest Service Button, Message Waiting Light, Hold and Speaker Button.

# Product Datasheet



## **“T18” Economy-line Model**



**41Series T-18 1-Line Phone**  
(A41-1T18)



**41 41Series T-18 1-Line Phone**  
(A41-1T18)

### **T-18 Features:**

- **Single Line Phone**
- **Water Resistant** – Water resistant, splash-proof design
- **Rubber Keypad** – Backlit rubber keypad
- **No Hook-Switch** - No hook switch to prevent water ingress
- **Easy Message Retrieval™** - Message Waiting Light, button and Ringer Indicator
- **Single Line Phone**
  
- Flash, Pause, Redial buttons
- Desk and Wall Mountable

### **Available Models:**

T18	
A41-1T18	Single Line Trimline Phone with No Hookswitch, Backlit Keypad, Message Waiting Light, Hold, Redial, Flash and Pause.

# Product Datasheet



## “T6” SIP (IP) Model



41 Series T-6 SIP (IP) Caller Display and Clock Phone  
(IP41-1T6DM)



41 Series T-6 SIP (IP) Caller Display and Clock Phone  
(IP41-1T6DM)

### T-6 Features:

- **SIP (IP) Model** – Full compliance with SIP Protocols and Power-over-Ethernet (PoE) or Adaptor
- **LCD Caller Display and Clock** - Caller ID (CID) system no additional power required, includes Clock
- **Membrane Keypad** – smooth, water resistant, touch sensitive membrane dial pad (multi-colours optional)
- **Water Resistant** – Water resistant, splash-proof design
- **Backlit Keypad** – Backlit keypad
- **No Hook-Switch** - No hook switch to prevent water ingress
- **Easy Message Retrieval™** - Message Waiting Light, button and Ringer Indicator
- **Single Line Phone**
- **Software Configuration** – remote programming
  
- Flash, Mute, Redial, buttons
- Desk and Wall Mountable
- 3-Step Volume Control

### Available Models:

T6	
IP41-1T6DM	Single Line Caller Display SIP Trimline Phone, Membrane Keypad, Redial, and Flash. PoE

# Product Datasheet



## Specifications:

Standard 41 Series Specifications	
Handset cord:	2.7m (Length)
Line cord:	1.0m and 0.12m
Color:	Ivory / Black
Handset:	Hearing Aid Compatible (HAC) Handset
Dial Character:	Standard 12 group (DTMF)
Message Waiting Light Voltage:	Standard 90~150V DC Customized various MWL card compatible with PBX
Operating Voltage:	24 ~ 60V DC
Quality Control:	ISO9001, ISO14001
Quality Approval:	CCC, FCC, CE, RoHS (FCC Part 15 & 68 compliant)
Package (set/carton):	10set/Carton

T5 Specifications	
Phone Dimensions:	22.5cm × 9cm
Weight:	580g
Flash time:	98ms, 300ms, 600ms optional, standard is 600ms
One-Touch Memory Key Programming:	No Guest Service Memory Keys
Box Dimensions:	41.5×39.5×26(cm)
Package (set/carton):	16set/Carton

T18 Specifications	
Phone Dimensions:	22.3cm × 6.8cm
Weight:	340g
Flash time:	98ms, 300ms, 600ms optional, standard is 600ms
One-Touch Memory Key Programming:	No Guest Service Memory Keys
Box Dimensions:	41.5×39.5×26(cm)
Package (set/carton):	16set/Carton

T5 2-Line Specifications	
Phone Dimensions:	22.5cm × 9cm
Weight:	580g
Flash time:	98ms, 300ms, 600ms optional, standard is 600ms
One-Touch Memory Key Programming:	No Guest Service Memory Keys
Box Dimensions:	41.5×39.5×26(cm)
Package (set/carton):	16set/Carton

T0 Specifications	
Phone Dimensions:	22.5cm × 9cm
Weight:	320g
Flash time:	No Flash Key
One-Touch Memory Key Programming:	Hand-held Express Programming Device only
Box Dimensions:	41.5×39.5×26(cm)
Package (set/carton):	32set/Carton

# Product Datasheet



T6 Specifications	
Phone Dimensions:	26.0cm × 9.3cm
Weight:	800g
Line Cord@	RJ45 Cable (568B 1.0m)
Flash time:	100ms to 1000ms optional, standard is 600ms
One-Touch Memory Key Programming:	No Guest Service Memory Keys
Message Waiting Light:	Message Waiting Light Voltage with SIP protocol
Box Dimensions:	41.5×37×29(cm)
Package (set/carton):	16set/Carton




## Other Models:



**41Series T-5 1-Line Phone with No Keypad, SOS Button**  
(A41-1T5N)



**41Series T-0 1-Line Phone with No Handset, SOS Button**  
(A41-1T0M)



**41Series T-5 1-Line Phone with Standard Keypad**  
(A41-1T5)

**Bittel Electronics (EU) Limited**  
50 Broadway  
London SW1H 0RG  
United Kingdom

[www.bittelcom.eu](http://www.bittelcom.eu)  
Tel: +44(0)203 405 1200  
Fax: +44(0)208 964 5886  
Email: [europe@bittelcom.com](mailto:europe@bittelcom.com)

Solution Partner: